



INSERTO INTERNO  
AISI 430 SP. 1mm

MOLLA IN AISI 301

SECTION A-A

MATERASSINO RETE  
ALLUM. 99.5NR. 4STR.  
R4 sp. 0.15 ONDULATI

STRATO AISI 430  
E6 SP. 0.4

STATO POSTERIORE  
ALLUM. 99.5R4 sp. 0.3

CONTENITORE INTERNO  
REALIZZATO A DUE PEZZI  
IN AISI 430 SATINATO S.BRITE  
SIGILLATO CON SILICONE

Ø 4 Nr. 8 FORI

SEMITRANCI  
ROVESCIA TI

IL BORDO DELLA MANIGLIA  
DEVE ESSERE  
"NON TAGLIENTE"

SECTION A-A

SCALE 1:2

RIVETTO ALLUM.  
2.4x6 TSP

TOLERANCE CLASSES	GENERAL TOLERANCE DIMENSION GROUP							
	0.5-3	3-6	6-30	30-120	120-400	ANG.	400-1000	1000-2000
FINE	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.8
MEDIUM	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2
COARSE	±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3	±6
VERY COARSE	-	±0.5	±1	±1.5	±2.5	±4	±6	-

Do not get quotas from the drawing do not bring modifications without authorization of technical office.  
According to the law we reserve the own of the present drawing with reproduction prohibition partial or total.

Modification description		Doc.Type <b>ASSEM</b>	
Modif.by <b>Solutions</b>		Approved by <b>Bellucci, Daniele</b>	
Denomination <b>METALLIC FILTER 329X296</b>		Approval date <b>30-Oct-2014</b>	
Material	Thickness	Weight	Doc. status
-	- Kg	635549.083	<b>Released</b>
Lang <b>EN</b>	Scale <b>1:1</b>	Form <b>A3</b>	Sheet <b>1/1</b>
Drawing N. <b>99A_015</b>			Rev <b>01</b>

